

# ZombieBox | Noise Control Systems

Patented & others Pending | US Patent 9,641,043

*'Make Peace with Power'*



**ZombieBox International**  
127 W. Juanita Ave  
Ste. 103  
Mesa, AZ 85210  
[www.zombie-box.com](http://www.zombie-box.com)  
Phone: 623.670.8100  
E-mail: [info@zombie-box.com](mailto:info@zombie-box.com)

The world's first and ONLY, patented, portable noise control systems for equipment, tools and machinery

# ZombieBox | Noise Control Systems

Patented & others Pending | US Patent 9,641,043

*'Make Peace with Power'*

## ZombieBox Noise Control Systems – Portable Sound Fence

Self-standing, linkable panels surround loud equipment and machinery. Assembled (or removable for maintenance) in minutes to reduce the noise intensity and volume of ANY loud equipment or machinery by up to 75% on barrier side!

### Structural & Safety -

- 22 gauge galvanized steel outer construction – Fire rated and biologically resistant thermal acoustic insulation
- Conforms to UL, ASTM, NFPA and ICC and state of California compliance standards
- 4 point steel ½” barrel hinges securely link each panel end to end or on ends for secure anchoring to surface (installation hardware not included)



ZombieBox International  
127 W. Juanita Ave  
Ste. 103  
Mesa, AZ 85210  
[www.zombie-box.com](http://www.zombie-box.com)  
Phone: 623.670.8100  
E-mail: [info@zombie-box.com](mailto:info@zombie-box.com)



\*All components and materials meet **NFPA**, **ASTM** and **UL** certification requirements – ZombieBox assemblies & products do not require or hold separate manufacturer certificates or listings

# ZombieBox | Noise Control Systems

Patented & others Pending | US Patent 9,641,043



'Make Peace with Power'

## Acoustical Performance = 12 to 15 dB reduction

### Sound Pressure Level (SPL) Decibel (dB) Reduction Testing:

- 125Hz to 8kHz | Weight: A | Range: 40-70 dB, 60-90 dB
- Source Unit: Generac 9kw portable gas generator
- Test conditions: (4) 48x38x2 panels 18" from generator on open asphalt surface, 50dB ambient noise level

*\*Independently replicated ASTM E596-96 procedures – dB levels at other points around equipment may vary depending on machine type, application and installation parameters*



**ZombieBox International**  
127 W. Juanita Ave  
Ste. 103  
Mesa, AZ 85210  
[www.zombie-box.com](http://www.zombie-box.com)  
Phone: 623.670.8100  
E-mail: [info@zombie-box.com](mailto:info@zombie-box.com)


# ZombieBox | Noise Control Systems

Patented & others Pending | US Patent 9,641,043

*'Make Peace with Power'*

## Thermal Performance -

- Normal operating conditions: 50% Load, exhausted to open section
- Dissipation rates consistent with standard operation ranges for surface, oil and ambient temperatures – See chart below



**ZombieBox International**  
 127 W. Juanita Ave  
 Ste. 103  
 Mesa, AZ 85210  
[www.zombie-box.com](http://www.zombie-box.com)  
 Phone: 623.670.8100  
 E-mail: [info@zombie-box.com](mailto:info@zombie-box.com)